




SPECIFICATIONS

WATTAGE	300W		
INPUT VOLTAGE	120V-277V		
CONTROL	0-10V DIMMING		
DATA CONNECTION	RJ-12		
POWER FACTOR	>0.9		
THERMAL MANAGEMENT	PASSIVE		
WORKING TEMPERATURE	0°F to 104°F		
IP RATING	Waterproof IP65		
LIFETIME	L90: >36,000 hrs		
WARRANTY	5 YEARS		
CERTIFICATIONS	ETL, DLC		
HEAT LOAD PER FIXTURE	1023 BTUs		
PPE	2.8 μmol/s		
PPF	840 µmol/s		


MAXIMUM POWER ELECTRICAL DATA					
	120V	208V	220V	240V	277V
AC CURRENT	2.57A	1.46A	1.37A	1.25A	1.08A
AC POWER	308W	304W	302W	300W	299W
POWER FACTOR	0.99	0.98	0.97	0.97	0.95
DAISY CHAIN	5	9	9	10	12

SPECTRUM GRPH

FULL SPECTRUM + IR



WHAT'S IN THE BOX - RETAIL PACKAGE 6 x Under Canopy Lights BOX GROSS WEIGHT: 54 lbs



Address: 3850 E 380 Rd, Talala, Oklahoma 74080

Tel: 725-243-5483 Email: mingmingxiexie1204@gmail.com